

A

Analgesia, epidural, nulliparous women, position effects in passive second stage labour, 157
 Antenatal care
 childbirth and parenthood education classes, nonattendants, in Sweden, 226
 coping strategies for pain and anxiety during labour, 144
 in Zimbabwe, women's perspective, 122
 Anxiety during labour, coping strategies, 144
 Appreciative Inquiry, maternity care in England, views of midwives, 324
 Attendants, birth, traditional training, and pregnancy outcomes, 51
 Australia
 breech management, 181
 midwife interactions with birth support people, 273
 oral intake in labour, 72

B

Behaviour
 coping strategies for pain and anxiety during labour, 144
 exercise in pregnancy, 133
 Birth *see* Childbirth.
 Body mass index, weight and glucose effects on metabolic health in pregnancy, 281
 Book reviews
 Designer babies: where should we draw the line? 212
 HIV pregnancy and childbirth (2nd edition), 213
 Introduction to research for midwives (2nd edition), 213
 Labour ward manual (3rd edition), 212
 Maternal and infant assessment for breastfeeding and human lactation: a guide for the practitioner (1st edition), 214
 The legal aspects of midwifery (2nd edition), 214
 Breastfeeding
 cultural expectations in low-income mothers, 240
 difficulties of, and postnatal depression, 251
 family support, 367
 and smoking cessation, education by midwives, 37
 supplementation, protection of mothers from tiredness or distress, 194
 value of pilot study, 188
 Breech presentation, women's preferences and knowledge of, 181

C

Caesarean section, and prenatal instruction, in Mexico, 312
 Cephalic version, external, breech management, 181
 Childbirth
 caesarean section rates, and prenatal instruction, in Mexico, 312
 education classes, nonattendants, in Sweden, 226
 maternity care, views of midwives, in England, 324

re-infibulation after, experience of Sudanese midwives, 299
 support people, interactions with midwives, 273
 traditional attendant training, and pregnancy outcomes, 51
 Circumcision, female, re-infibulation after birth, experience of Sudanese midwives, 299
 Clinical trials
 breastfeeding, value of pilot study, 188
 intrapartum care, study design, 27
 position in second stage of labour, 157
 Computerization, intervention scoring system for intrapartum care, nulliparous women, 15
 Conference Report, International Confederation of Midwives Americas Regional Conference, Port of Spain, Trinidad, April 2004, 290
 Cultural factors
 maternity care in England, views of midwives, 324
 re-infibulation after birth, experience of Sudanese midwives, 299

D

Decision making
 labour augmentation, 104
 low-income mothers, cultural expectations of breastfeeding, 240
 midwifery partnerships in New Zealand, 2
 by young single women, 171
 Demographics
 breastfeeding difficulties, and postnatal depression, 251
 childbirth and parenthood education classes, nonattendants, in Sweden, 226
 midwifery partnerships in New Zealand, 2
 smoking cessation, education by midwives, 37
 Depression, postnatal, and breastfeeding difficulties, 251
 Distress, and breastfeeding supplementation, 194
 Documentation
 domestic violence, midwife training, 94
 intrapartum care, reporting of controlled trials, 27
 Domestic violence, midwife training, 94

E

Editorials
 Lies, damned lies, and statistics, 121
 Midwives under threat again, 1
 Politics, normal birth, and midwifery, 215
 What should be included in a Methods Section, 297
 Education
 emotional ideologies of midwives, 261
 exercise in pregnancy, 133
 family support for breast feeding, 367
 interprofessional, LEAPT project, 358
 maternity care in England, views of midwives, 324
 by midwives, smoking cessation, 37
 nonattendants of childbirth and parenthood education classes, in Sweden, 226
 prenatal instruction, and caesarean section rates, 312
 training model, midwifery in Guatemala, 217

A

Analgesia, epidural, nulliparous women, position effects in passive second stage labour, 157
 Antenatal care
 childbirth and parenthood education classes, nonattendants, in Sweden, 226
 coping strategies for pain and anxiety during labour, 144
 in Zimbabwe, women's perspective, 122
 Anxiety during labour, coping strategies, 144
 Appreciative Inquiry, maternity care in England, views of midwives, 324
 Attendants, birth, traditional training, and pregnancy outcomes, 51
 Australia
 breech management, 181
 midwife interactions with birth support people, 273
 oral intake in labour, 72

B

Behaviour
 coping strategies for pain and anxiety during labour, 144
 exercise in pregnancy, 133
 Birth *see* Childbirth.
 Body mass index, weight and glucose effects on metabolic health in pregnancy, 281
 Book reviews
 Designer babies: where should we draw the line? 212
 HIV pregnancy and childbirth (2nd edition), 213
 Introduction to research for midwives (2nd edition), 213
 Labour ward manual (3rd edition), 212
 Maternal and infant assessment for breastfeeding and human lactation: a guide for the practitioner (1st edition), 214
 The legal aspects of midwifery (2nd edition), 214
 Breastfeeding
 cultural expectations in low-income mothers, 240
 difficulties of, and postnatal depression, 251
 family support, 367
 and smoking cessation, education by midwives, 37
 supplementation, protection of mothers from tiredness or distress, 194
 value of pilot study, 188
 Breech presentation, women's preferences and knowledge of, 181

C

Caesarean section, and prenatal instruction, in Mexico, 312
 Cephalic version, external, breech management, 181
 Childbirth
 caesarean section rates, and prenatal instruction, in Mexico, 312
 education classes, nonattendants, in Sweden, 226
 maternity care, views of midwives, in England, 324

re-infibulation after, experience of Sudanese midwives, 299
 support people, interactions with midwives, 273
 traditional attendant training, and pregnancy outcomes, 51
 Circumcision, female, re-infibulation after birth, experience of Sudanese midwives, 299
 Clinical trials
 breastfeeding, value of pilot study, 188
 intrapartum care, study design, 27
 position in second stage of labour, 157
 Computerization, intervention scoring system for intrapartum care, nulliparous women, 15
 Conference Report, International Confederation of Midwives Americas Regional Conference, Port of Spain, Trinidad, April 2004, 290
 Cultural factors
 maternity care in England, views of midwives, 324
 re-infibulation after birth, experience of Sudanese midwives, 299

D

Decision making
 labour augmentation, 104
 low-income mothers, cultural expectations of breastfeeding, 240
 midwifery partnerships in New Zealand, 2
 by young single women, 171
 Demographics
 breastfeeding difficulties, and postnatal depression, 251
 childbirth and parenthood education classes, nonattendants, in Sweden, 226
 midwifery partnerships in New Zealand, 2
 smoking cessation, education by midwives, 37
 Depression, postnatal, and breastfeeding difficulties, 251
 Distress, and breastfeeding supplementation, 194
 Documentation
 domestic violence, midwife training, 94
 intrapartum care, reporting of controlled trials, 27
 Domestic violence, midwife training, 94

E

Editorials
 Lies, damned lies, and statistics, 121
 Midwives under threat again, 1
 Politics, normal birth, and midwifery, 215
 What should be included in a Methods Section, 297
 Education
 emotional ideologies of midwives, 261
 exercise in pregnancy, 133
 family support for breast feeding, 367
 interprofessional, LEAPT project, 358
 maternity care in England, views of midwives, 324
 by midwives, smoking cessation, 37
 nonattendants of childbirth and parenthood education classes, in Sweden, 226
 prenatal instruction, and caesarean section rates, 312
 training model, midwifery in Guatemala, 217

Emotion, of midwives, 261
 England *see* United Kingdom.
 Epidural analgesia, nulliparous women, position effects in passive second stage labour, 158
 Equity of care, maternity care in England, views of midwives, 324
 Ethical factors
 maternity care in England, views of midwives, 324
 re-infibulation after birth, experience of Sudanese midwives, 299
 Exercise in pregnancy, women's beliefs, 133

F

Family support for breast feeding, 367
 Fathers
 support for breast feeding, 367
 ultrasound examination, experience of, 335
 Female genital mutilation, re-infibulation after birth, experience of Sudanese midwives, 299
 Fetus
 abnormalities, nuchal translucency screening, 82
 intrapartum electronic monitoring, regional guidelines, 345
 ultrasound examination, experience of mothers and fathers, 335
 Food and drink, oral intake, midwives' practices during labour, 72

G

Genital cutting, re-infibulation after birth, experience of Sudanese midwives, 299
 Glucose, and metabolic health in pregnancy, 281
 Grandmothers, support for breast feeding, 367
 Guatemala, traditional midwife training, 217
 Guidelines, regional, intrapartum electronic fetal monitoring, 345
 Guilt
 breastfeeding difficulties, and postnatal depression, 251
 low-income mothers, cultural expectations of breastfeeding, 240

I

Identity construction by young single women, 171
 Infants, weight and glucose impact on metabolic health in pregnancy, 281
 Information sources
 exercise in pregnancy, 133
 ultrasound examination, experience of mothers and fathers, 335
 Instrumental birth, in nulliparous women, position effects in passive second stage labour, 157
 Insulin resistance, weight and glucose effects on metabolic health in pregnancy, 281
 Intrapartum care
 electronic fetal monitoring, regional guidelines, 345
 intervention rates, midwives' risk perception, 61
 of nulliparous women, intervention scoring system, 15
 reporting of controlled trials, 27

K

Knowledge
 breech management, 181
 ultrasound examination, experience of mothers and fathers, 335

L

Labour
 augmentation, decision-making, 104
 coping strategies for pain and anxiety, 144
 oral intake, midwives' practices, 72
 passive second stage, position effects, in nulliparous women, 157
 LEAPT (learning through exploration of professional task project), interprofessional education of midwives, 358
 Learning, interprofessional education, LEAPT project, 358
 Literature review
 intrapartum care, reporting of controlled trials, 27
 oral intake in labour, midwives' practices, 72
 Logistic regression, multiple, 236

M

Maternity care
 intrapartum, for nulliparous women, intervention scoring system, 15
 intrapartum, intervention rates, midwives' risk perception, 61
 support and education for smoking cessation by midwives, 37
 Mexico, prenatal instruction, and caesarean section rates, 312
 Midwives
 and birth support people, interactions with, 273
 domestic violence training, 94
 emotion ideologies, 261
 interprofessional education, LEAPT project, 358
 and maternity care in England, 324
 and oral intake in labour, 72
 partnerships in New Zealand, 2
 risk perception, and intrapartum care, 61
 Sudanese, and re-infibulation after birth, 299
 suggestions for breastfeeding supplementation, 1914
 support and education for smoking cessation, 37
 traditional, training model in Guatemala, 217
 Monitoring, intrapartum fetal electronic, regional guidelines, 345
 Mortality, pregnancy outcome, and traditional birth attendant training, 51
 Mothers
 low-income, cultural expectations of breastfeeding, 240
 maternity care, views of midwives, in England, 324
 protection from tiredness or distress, breastfeeding supplementation, 194
 ultrasound examination, experience of, 335
 weight and glucose impact on metabolic health in pregnancy, 281

M

Motives
 Sudanese midwives, re-infibulation after birth, 299
 ultrasound examination, experience of mothers and fathers, 335
 Multiple logistic regression models, 236

N

New Zealand
 partnership in midwifery care, 2
 smoking cessation, 37
 Nuchal translucency screening for fetal abnormality, 82
 Nulliparous women
 coping strategies for pain and anxiety during labour, 144
 epidural analgesia, position effects in passive second stage labour, 157
 intervention scoring system for intrapartum care, 15

O

Odds ratios, definition of, 169
 Oral intake in labour, 72

P

Pain during labour, coping strategies, 144
 Parenthood
 education classes, nonattenders, in Sweden, 226
 ultrasound examination, experience of mothers and fathers, 335
 Partnership, midwifery care in New Zealand, 2
 Position in passive second stage labour, in nulliparous women, 157
 Postnatal period, breastfeeding difficulties, and depression, 251
 Power sharing, midwifery partnerships in New Zealand, 2
 Pregnancy
 antenatal care in Zimbabwe, 122
 breech management, 181
 childbirth and parenthood education classes, nonattenders, in Sweden, 226
 intrapartum fetal electronic monitoring, regional guidelines, 345
 outcomes, and traditional birth attendant training, 51
 physical exercise, women's beliefs, 133
 ultrasound examination, mothers' and fathers' experiences, in Sweden, 335
 weight and glucose effects on metabolic health, 281
 in young single women, 171
 Prenatal instruction, and caesarean section rates, in Mexico, 312
 Probability, definition of, 169
 Problem solving, LEAPT project, interprofessional education of midwives, 358

Q

Questionnaires
 breech management, 181
 family support for breast feeding, 367
 LEAPT project, interprofessional education of midwives, 358

R

Re-infibulation after birth, experience of Sudanese midwives, 299
 Recruitment
 intrapartum care, reporting of controlled trials, 27
 nuchal translucency screening, fetal abnormalities, 82
 Risk factors
 intrapartum fetal electronic monitoring, regional guidelines, 345
 midwives' perception, and intrapartum care, 61
 nuchal translucency screening, fetal abnormalities, 82
 Risk ratios, definition of, 169
 Role models, maternity care in England, views of midwives, 324

S

Scoring intervention system, intrapartum care for nulliparous women, 15
 Screening, nuchal translucency, fetal abnormality, 82
 Single women, pregnancy adjustment, decision-making, and identity construction, 171
 Skin-to-skin breastfeeding, value of pilot study, 188
 Smoking, support and education for cessation by midwives, 37
 Socioeconomic factors
 caesarean section rates, and prenatal instruction, in Mexico, 312
 family support for breast feeding, 367
 low-income mothers, cultural expectations of breastfeeding, 240
 nonattenders of childbirth and parenthood education classes, in Sweden, 226
 Statistical analysis
 caesarean section rates, and prenatal instruction, in Mexico, 312
 meta-analysis, traditional birth attendant training and pregnancy outcomes, 51
 multiple logistic regression models, 236
 risk ratios and odds ratios, 169
 two-tailed tests and statistical significance at 0.05, 142
 Sudan, midwife experience with re-infibulation after birth, 299
 Supplementation to breastfeeding, protection of mothers from tiredness or distress, 194
 Support issues
 breastfeeding cessation in low-income mothers, 240
 breastfeeding difficulties and postnatal depression, 251
 family support for breast feeding, 367
 midwife interactions with support people, 273
 smoking cessation, 37

Sweden

- decision making, augmentation to labour, 104
- nonattendants of childbirth and parenthood education classes, 226
- ultrasound examination, mothers' and fathers' experiences, 335

T

- Tiredness, and breastfeeding supplementation, 194
- Traditional birth attendants, training model, in Guatemala, 217
- Training
 - domestic violence, 94
 - traditional, birth attendants, and pregnancy outcomes, 51
 - traditional midwifery, model in Guatemala, 217

U

- Ultrasound examination, mothers' and fathers' experiences, in Sweden, 335
- United Kingdom
 - breastfeeding supplementation, 194
 - family support for breast feeding, 367
 - maternity care, views of midwives, 324
 - nuchal translucency screening for fetal abnormality, 82
 - regional guidelines, intrapartum electronic fetal monitoring, 345
 - weight and glucose impact on metabolic health in pregnancy, 281

V


- Violence, domestic, midwife training, 94
- Visualization, ultrasound examination, experience of mothers and fathers, 335

W

- Weight
 - antenatal care in Zimbabwe, 122
 - and metabolic health in pregnancy, 281
- Women
 - behavior, beliefs, and information sources, exercise in pregnancy, 133
 - breech presentation, preferences and knowledge of, 181
 - nulliparous, intervention scoring system for intrapartum care, 15
 - nulliparous *see* Nulliparous women
 - re-infibulation after birth, 299
 - satisfaction with decision making, labour augmentation, 104
 - single, pregnancy adjustment, decision-making, and identity construction, 171
- in Zimbabwe, antenatal care, 122

Z

- Zimbabwe, antenatal care, women's perspective, 122



A
 Abbey M. 36
 Abrahamsson A. 335
 Apelqvist J. 44
 Asare G.Q. 36
 Atkinson E.R. 224

Garcia J. 84
 Gilbert A.L. 224
 Gözüm S. 371
 Graham W. 36

Baosoung C. 139
 Bard K. 44
 Bell J. 36
 Brown S.J. 109
 Bruinsma F.J. 109
 Butt J. 23

Håkansson A. 335
 Hauck Y. 23
 Heimer G. 311
 Hemmings V. 267
 Hjelm K. 44
 Hotham E.D. 224
 Hundley V. 36
 Hunter B. 253
 Hussein J. 36

Campbell M. 80, 127
 Campbell R. 154
 Carfoot S. 71
 Chongsuvivatwong V. 301
 Christensson K. 355
 Condliffe L. 233

Jayaweera H. 84
 Johnson G. 267

Darcy M.-A. 109
 Deery R. 161
 Dickson R. 71
 Downie J. 23
 D'Souza L. 84
 Dykes F. 241

Karaçam Z. 61
 Karlsson L. 335
 Kiliç D. 371
 Kitiş Y. 61
 Kouri P. 177

Lagendyk L.E. 14
 Lazenbatt A. 322
 Lewin D. 267
 Liamputpong P. 139
 Lindberg I. 355
 Lundgren I. 346
 Luyben A.G. 212

Erlandsson K. 131
 Escott D. 278

Maddah M. 365
 McEwen A. 233
 McMurray F. 322

Fagerberg I. 131
 Fahdhy M. 301
 Fearon B. 267
 Fenwick J. 23
 Fleming V.E.M. 212
 Fleurum M. 204
 Fraser R.B. 278
 Fullerton J.T. 2

Nyberg P. 44

O

Offerhaus P. 204
Öhrling K. 355
Ottosson T. 335

T

Thompson J.B. 2
Thompson-Cree M.E.M. (Lyn) 322
Thomson A. 1, 107, 201
Thomson A.M. 190
Thurston W.E. 14
Turunen H. 177

P

Palomäki T. 177
Parisunyakul S. 139
Peters T.J. 154

W

Wensing M. 204
West R. 233
Williamson P. 71

S

Sanders J. 154
Sansiriphun N. 139
Sidenvall B. 311
Slade P. 278
Spiby H. 278
Springett J. 335
Stenson K. 311

Y

Yimyam S. 139

